

### 12U 36in Knock-Down Server Rack Cabinet with Casters

StarTech ID: RK1236BKF



The RK1236BKF 12U 36in Knock-Down Server Rack/Cabinet (with Casters) features a vented acrylic front door and mesh rear door, to provide devices stored in the cabinet with cost-effective passive cooling as well as offer security for your valuable equipment.

Supporting a total load capacity of 800 kg (1760 lbs), the server rack is constructed of steel and aluminum to ensure a sturdy platform for valuable server/networking equipment. The included casters make this product a flexible rack solution for any IT environment or server closet, by making it easier to position the rack in the ideal location.

The rack is easy to assemble at the point of installation for rapid deployment and features a flat-packed design that helps to minimize shipping costs.

Backed by a StarTech.com Lifetime warranty.

#### **Applications**

- Perfect solution for Technology shops and repair centers with limited space and mountable equipment where security is required
- Ideal for rack mount servers, KVM switches, networking equipment and cabinet consoles
- Audio/Video editing room, radio or television studio broadcast rackmount equipment
- A great solution for the college/university classroom, where only limited rackmount equipment is needed, but security is still important





#### **Features**

- Includes casters and stabilizer feet
- Flat packed into a single carton for easy shipping
- Vented front / rear doors, and solid side panels
- Adjustable mounting rails
- Quick and easy to assemble



### **Technical Specifications**

Fan(s)

Warranty Lifetime Color Black

**Enclosure Type** Aluminum and Steel External Depth 35.4 in [900 mm] **External Height** 26.1 in [663 mm] **External Width** 23.6 in [600 mm] Height with Casters 29.5 in [749.3 mm] Internal Width 18.3 in [465 mm] Maximum Mounting Depth 29.5 in [750 mm] Minimum Mounting Depth 5.9 in [150 mm] **Product Weight** 64.8 lb [29.3 kg] Back Door Type Steel Mesh Included Casters

Frame Type Enclosed Cabinet
Front Door Type Steel w/ Window
Industry Standards DIN41491 Part I
Industry Standards EIA RS310-D

No

Industry Standards IEC297-2

Key LockYesRack Type4-PostSide Panel TypeSolid Steel

U Height 12U Wallmountable No

Weight Capacity 1768 lb [800 kg]

Flat Pack Yes

Shipping (Package) Weight 71.4 lb [32.3 kg] Included in Package 3 - Bottom Panel

Included in Package 2 - Side Panel and Frame

Included in Package 1 - Top Panel Included in Package 4 - Cross Brace

Included in Package 8 - Plastic Corner Caps

Included in Package 4 - Casters



# Hard-to-find made easy®

**Spec Sheet** 

Included in Package 2 - Sets of Keys 4 - Adjustable Feet Included in Package

Included in Package 1 - Assembly Screw Kit

Included in Package 1 - Bag M6 Cab Screws and Nuts

Included in Package 2 - Allen Wrench

## **Certifications, Reports and Compatibility**



