

Vented Blank Panel for Server Racks - 1U

Product ID: RKPNTL1UV



This vented 1U rack panel can mount onto any standard 19-inch 2 or 4-post server rack, to blank out unused rack space. This TAA compliant product adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases.

Professional look

The blanking panel creates a clean and professional look by covering empty space and visible cables. Adding blanking panels to your server racks offers a tidier appearance for a more organized server room.

Maximize airflow

The panel features a vented design that enables unobstructed airflow through your rack, to help ensure your equipment is running at an optimal temperature.

Tool-less installation

For fast and easy installation, this blanking panel features a tool-less design that latches onto a standard 19 in. server rack, saving you time and hassle.

The RKPNTL1UV is backed by a 2-year StarTech.com warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Fill in unused gaps between equipment in server racks and cabinets
- Increase the airflow in your server rack with a vented panel that helps keep your equipment running at an optimal temperature

Features

- Create a tidy and professional look by covering unused rack space
- Keep your equipment running cool while still covering unused rackspace with a vented panel
- TAA compliant for GSA Schedule purchases
- Hassle-free installation with tool-less design
- 1U panel that mounts to any standard 19 in. 2 or 4-post rack

Hardware	Warranty	2 Years
	Industry Standards	EIA RS310-D
	Mounting Options	Front Mount (Front Only)
	U Height	1U
Physical Characteristics	Color	Black
	Enclosure Type	Steel and Plastic
	Product Height	0.9 in [22 mm]
	Product Length	19 in [482 mm]
	Product Weight	7 oz [199 g]
	Product Width	1.7 in [44 mm]
Packaging Information	Shipping (Package) Weight	8.9 oz [251 g]
What's in the Box	Included in Package	1 - 1U Tool-Less Vented Rack Panel

Product appearance and specifications are subject to change without notice.